

HPD UNIQUE IDENTIFIER: 23156

CLASSIFICATION: 10 28 00 Toilet, Bath, and Laundry Accessories

PRODUCT DESCRIPTION: The XLERATOR® Hand Dryer (XL-BW-110-120V, XL-BW-208-277V, XL-BW-230V, XL-SB-110-120V, XL-SB-208-277V, XL-SB-230V) is the original, patented, high-speed, energy-efficient hand dryer. Facilities around the world use XLERATOR® to save time, money, and the environment while creating a cleaner, more hygienic restroom.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances except SC substances characterized according to SC guidance.</i></p> <p>Screened <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.</i></p> <p>Identified <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC guidance.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

XLERATOR® HAND DRYER [CARBONIC DICHLORIDE, POLYMER WITH 4,4'-(1-METHYLETHYLIDENE)BIS(PHENOL), 4-(1-METHYL-1-PHENYLETHYL)PHENYL ESTER NoGS ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER LT-UNK SC:MOTOR ASSEMBLY Not Screened STEEL MANUFACTURE, CHEMICALS LT-UNK COPPER LT-P1 | MUL RESORCINOL BIS-DIPHENYLPHOSPHATE BM-2 SC:CONTROL ASSEMBLY AND CONTROL ASSEMBLY CIRCUIT BOARD Not Screened POLYVINYL CHLORIDE (PVC) LT-P1 | RES SC:MOTOR SPEED CONTROLLER Not Screened CARBON BLACK LT-1 | CAN MICA LT-UNK SC:OPTICS ASSEMBLY Not Screened PHENOL FORMALDEHYDE LT-P1 | RES BENZOTRIAZOLE LT-UNK | CAN GRAPHITE LT-UNK KAOLIN CLAY LT-UNK | CAN POLYETHYLENE LT-UNK TALC BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: Electronics

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Excel Dryer worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: No VOC Certification
 Other: Environmental Product Declaration (EPD) by UL - Industry Generic

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

PREPARER: ToxServices LLC

SCREENING DATE: 2018-09-25

Yes
 No

VERIFIER:
VERIFICATION #:

PUBLISHED DATE: 2020-12-14
EXPIRY DATE: 2021-09-25

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

XLERATOR® HAND DRYER

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Excel Dryers worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

OTHER PRODUCT NOTES:

CARBONIC DICHLORIDE, POLYMER WITH 4,4'-(1-METHYLETHYLIDENE)BIS(PHENOL), 4-(1-METHYL-1-PHENYLETHYL)PHENYL ESTER

ID: 111211-39-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**

%: **36.5900 - 41.4700** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER

ID: 9003-56-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**

%: **30.2200 - 33.6400** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

SC:MOTOR ASSEMBLY

ID: **SC:Electronics**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**

%: **19.2000 - 19.2000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Electronic component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:

Version: SCElec/2018-02-23

Brief Description: Motor Assembly Including motor, fan and rotor assemblies. Component ingredients composed of materials such as steel, fiberglass, ABS, and aluminum/iron/copper.

Compliance: RoHS Compliant

Takeback Program: N/A

This substance was properly screened by the HPD Approved Preparer.

STEEL MANUFACTURE, CHEMICALS

ID: 65997-19-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**

%: **18.0400 - 18.0400** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. Steel Grades identified as AISI 4307 and Carbon Steel 1022. Impurities present at the following total summed ranges: (C: 0.23 - 0.39); (Si: 0 - 0.26); (Mn: 0.7 - 1); (Mo: 0.21).

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**

%: **6.0000 - 6.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

RESORCINOL BIS-DIPHENYLPHOSPHATE

ID: 125997-21-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**

%: **2.9300 - 5.8500** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The GreenScreen® Benchmark assessment score of BM-2 was provided through the HPD 2.1 Builder Tool.

SC:CONTROL ASSEMBLY AND CONTROL ASSEMBLY CIRCUIT BOARD

ID: **SC:Electronics**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**

%: **2.8100 - 2.8100** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Electronic component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:

Version: SCElec/2018-02-23

Brief Description: Control Assembly and Control Assembly Circuit Board including cover, plate, wires, thyristors, additional circuit board components and others. Component ingredients composed of materials such as ABS, steel and aluminum.

Compliance: RoHS Compliant

Takeback Program: N/A

This substance was properly screened by the HPD Approved Preparer.

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**

%: **1.8400 - 1.8400** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. This material is present as a wire jacket coating. The % level of PVC in relation to the steel wire was unavailable, therefore the assumption of % PVC present (1.84%) is equal to that of what the % of total wire is present in the final product (1.84%).

SC:MOTOR SPEED CONTROLLER

ID: SC:Electronics

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**

%: **1.4800 - 1.4800** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Electronic component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:

Version: SCElec/2018-02-23

Brief Description: Motor Speed Controller including case-lid, control module, rubber coated knob, adapter plate, bolts and screws. Component ingredients composed of materials such as ABS, steel and rubber.

Compliance: RoHS Compliant

Takeback Program: N/A

This substance was properly screened by the HPD Approved Preparer.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**

%: **0.4900 - 1.0300** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**%: **0.4600 - 0.7500** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

SC:OPTICS ASSEMBLYID: **SC:Electronics**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**%: **0.3500 - 0.3500** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Electronic component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:

Version: SCElec/2018-02-23

Brief Description: Optics Assembly including case, light emitting diodes, capacitors and screws. Component ingredients composed of materials such as ABS and steel.

Compliance: RoHS Compliant

Takeback Program: N/A

This substance was properly screened by the HPD Approved Preparer.

PHENOL FORMALDEHYDEID: **9003-35-4**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**%: **0.1500 - 0.2900** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

BENZOTRIAZOLEID: **95-14-7**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**%: **0.0000 - 0.1000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

GRAPHITEID: **7782-42-5**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2018-09-25**

%: 0.0000 - 0.1900 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

KAOLIN CLAY

ID: 1332-58-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-09-25

%: 0.0000 - 0.1900 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-09-25

%: 0.0000 - 0.2900 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer.

TALC

ID: 14807-96-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-09-25

%: 0.0000 - 0.1000 GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The GreenScreen® Benchmark assessment score of BM-1 was provided through the HPD 2.1 Builder Tool.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	No VOC Certification		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-07-	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: N/A	10		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Not a VOC Product			

OTHER	Environmental Product Declaration (EPD) by UL - Industry Generic		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-	EXPIRY DATE: 2022-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All Facilities	07-25	07-25	Environment
CERTIFICATE URL: https://www.exceldryer.com/wp-content/uploads/pdf/ExcelDryer_Quantis_EPD_XLERATOR.pdf			
CERTIFICATION AND COMPLIANCE NOTES: Declaration #: 4787137936.102.1; Reference PCR: UL PCR for Hand Dryers July 2017			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

TAMPER PROOF BOLT/WRENCH AND ACCESSORIES	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Use of the Tamper Proof Wrench and Bolt are required during installation of the dryer product.	

HEPA FILTER KIT	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Used when changing out Hepa Filter located within the hand dryer.	

Section 5: General Notes

Excel Dryers worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold. The Special Condition: Electronics, was used in the preparation of this HPD. Please see information on this requirement at https://www.hpd-collaborative.org/wpcontent/uploads/2018/07/SpecialCondition_Electronics.pdf.

MANUFACTURER INFORMATION

MANUFACTURER: Excel Dryer
ADDRESS: 375 Chestnut Street
PO Box 365
East Longmeadow MA 01028, USA
WEBSITE: www.exceldryer.com

CONTACT NAME: Debbie Frangie
TITLE: Marketing Communication Manager
PHONE: (413) 525-4531
EMAIL: dfrangie@exceldryer.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.