Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1011128320

CLASSIFICATION: 10 28 00 Toilet, Bath, and Laundry Accessories

PRODUCT DESCRIPTION: The XLERATOReco® Hand Dryer(XL-ECO-BW-110-120V, XL-ECO-BW-208-277V, XL-ECOBW-230V, XL-ECO-SB-110-120V, XL-ECO-SB-208-277V, XL-ECO-SB-230V) is materially identical to XLERATOR, with the exclusion of the heating element. The operation of this product, without a heating element, results in lower wattage. Facilities around the world use XLERATOReco to save time, money, and the environment while creating a cleaner, more hygienic restroom.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

XLERATORECO® HAND DRYER [ZINC, ELEMENTAL LT-P1 | MUL IRON, ELEMENTAL LT-P1 | END ABS RESIN LT-UNK

POLYCARBONATE LT-UNK CHROMIUM LT-P1 | END | SKI | MAM |

REP | RES NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU

ALUMINUM BM-1 | END | PHY | MAM COPPER LT-P1 | MUL | AQU |

MAM MANGANESE LT-P1 | END | MUL | REP | MAM | AQU CARBONIC

DICHLORIDE, POLYMER WITH 4,4'-(1-

METHYLETHYLIDENE)BIS(PHENOL), 4-(1-METHYL-1-

PHENYLETHYL)PHENYL ESTER NoGS SILICON, ELEMENTAL LT-

UNK CONTROL ASSAY; OPTICS ASSAY; MOTOR ASSAY; STATOR;

ELECTRONIC MOTOR; FAN; STATOR WIRING UNDISCLOSED]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, LT-1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [Electronics] Special Conditions applied: [Polymers]

Excel Dryer worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

: Environmental Product Declaration (EPD) by UL - Industry Generic

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes No

PREPARER: ToxServices LLC

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-12-27 PUBLISHED DATE: 2024-02-27

EXPIRY DATE: 2026-12-27

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

XLERATORECO® HAND DRYER

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Excel Dryers worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

OTHER PRODUCT NOTES: None of the product- or accessory-related packaging are included in the HPD.

ZINC, ELEMENTAL				ID: 7440-66-6		
HAZARD DATA SOURCE:	CE: Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2023-12-27 11:29:49		
%: 0.0517 - 55.0230	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element		
HAZARD TYPE	LIST NAME AND SOURCE	LIST NAME AND SOURCE				
MUL	German FEA - Substances Waters	German FEA - Substances Hazardous to Waters		d to Waters		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
RESTRICTED LIST	Green Science Policy Institu	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List		
			Antimicrobials			
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	nnovation Institute		Product Standard Restricted Substances ctive July 1, 2022		
			Biological and E	invironmentally Released Materials		
RESTRICTED LIST Cradle to Cradle Products Innovation Institute (C2CPII)			1 Product Standard Restricted Substances ctive July 1, 2022			
			Children's Produ	ucts		

SUBSTANCE NOTES: Percent range is greater than 20% due to alternate covers used across models covered by this HPD.

Alloying elements may contain recycled content for this product.

IRON, ELEMENTAL			ID: 7439-89-6 HAZARD SCREENING DATE: 2023-12-27 11:29:49		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library					
%: 1.3347 - 33.0781	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Percent range is greater than 20% due to alternate covers used across models covered by this HPD.

Alloying elements may contain recycled content for this product.

ABS RESIN				ID: 9003-56-9
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAI	RD SCREENING DATE: 2023-12-27 11:29:49
%: 13.1942 - 18.2829	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	o warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

POLYCARBONATE					ID: 25037-45-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE:	2023-12-27 11:29:49
%: 13.1942 - 18.2829	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: \$	Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No	warnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN	
None found				No listings found on Ad	dditional Hazard Lists
SUBSTANCE NOTES:					

CONTROL ASSAY; OPTICS ASSAY; MOTOR ASSAY; STATOR; ELECTRONIC MOTOR; FAN; STATOR WIRING

ID: Electronic Component

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 0.5300 - 9.9700 GreenScreen: Not Required RC: None NANO: No MATERIAL ROLE: Electronic component

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION: Covers small interior components present in the Control Assay; Optics Assay; Motor Assay; Stator; Electronic Motor; Fan; Stator Wiring.

EU ROHS COMPLIANCE: Yes

END-OF-LIFE MANAGEMENT: No end-of-life management plan

MATERIAL CONTENT NOTES:

CHROMIUM ID: 7440-47-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD	HAZARD SCREENING DATE: 2023-12-27 11:29:50			
%: 0.0178 - 8.4749	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
END	TEDX - Potential Endocrine Di	sruptors	Potential Endocr	rine Disruptor		
SKI	MAK		Sensitizing Subs	stance Sh - Danger of skin sensitization		
MAM	GHS - Japan			se respiratory irritation [Specific target Single exposure - Category 3]		
REP	GHS - New Zealand	GHS - New Zealand		Reproductive toxicity category 2		
RES	GHS - Japan		•	se allergy or asthma symptoms or lties if inhaled [Respiratory sensitization -		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	ovation Institute		Product Standard Restricted Substances ctive July 1, 2022		
			Biological and E	nvironmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	ovation Institute		Product Standard Restricted Substances ctive July 1, 2022		
			Children's Produ	ucts		
RESTRICTED LIST	Cradle to Cradle Products Inne (C2CPII)	ovation Institute		Product Standard Restricted Substances ctive July 1, 2022		
			Cosmetics & Pe	rsonal Care Products		

SUBSTANCE NOTES: Alloying elements may contain recycled content for this product.

NICKEL ID: 7440-02-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-12-27 11:29:50

%: 0.0082 - 4.4477	GreenScreen: LT-1 RC: U	NK NANO: No SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	EU - GHS (H-Statements) Annex 6 Table	3-1 H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table	3-1 H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

 ${\tt SUBSTANCE\ NOTES: Alloying\ elements\ may\ contain\ recycled\ content\ for\ this\ product.}$

ALUMINUM ID: **7429-90-5**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-12-27 11:29:50			
%: 0.1361 - 2.5576	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS		
END	TEDX - Potential Endocrine	e Disruptors	Potential Endoc	rine Disruptor	
PHY	EU - GHS (H-Statements)	EU - GHS (H-Statements) Annex 6 Table 3-1		fire spontaneously if exposed to air ds; Pyrophoric solids - Category 1]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxic following repeated exposure - Category 1]		
PHY	GHS - New Zealand		Flammable solids category 1		
MAM	GHS - Japan			damage to organs [Specific target toxicity following single exposure -	
PHY	GHS - Japan		[Substances and	ct with water releases flammable gas d mixtures, which in contact with water, gases - Category 2]	
PHY	GHS - Malaysia	GHS - Malaysia		fire spontaneously if exposed to air ds; Pyrophoric solids - Category 1]	
PHY	GHS - Australia			fire spontaneously if exposed to air ds; Pyrophoric solids - Category 1]	
PHY	GHS - New Zealand		Pyrophoric solid	s category 1	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-1 was provided through the HPD 2.3 Builder Tool.

Alloying elements may contain recycled content for this product.

HAZARD DATA SOURCE: P	Pharos Chemical and Materials Librar	y	HAZARD	SCREENING DATE:	2023-12-27 11:29
%: 1.3126 - 1.8216	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROL	E: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Haz Waters	zardous to	Class 2 - Hazaro	d to Waters	
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		•
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precaution	onary List	
			Precautionary lis	st of substances recom	mended for
RESTRICTED LIST	Green Science Policy Institute ((GSPI)	GSPI - Six Class	ses Precautionary List	
			Antimicrobials		
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	vation Institute		Product Standard Res ctive July 1, 2022	stricted Substance
			Biological and E	nvironmentally Release	ed Materials
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	vation Institute		Product Standard Res	stricted Substance

 ${\small \verb|SUBSTANCE| NOTES: Alloying| elements| may| contain| recycled| content| for this| product.}$

MANGANESE	ID: 7439-96-5	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-12-27 11:29:51	

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-12-27 11:29:3		
%: 0.0015 - 0.8566	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disru	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MUL	German FEA - Substances Haza Waters	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
REP	GHS - Japan	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicifollowing repeated exposure - Category 1]		
MAM	GHS - Australia	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
AQU	GHS - New Zealand	GHS - New Zealand		Hazardous to the aquatic environment - chronic category	
AQU	GHS - Japan		H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
AQU	GHS - Japan		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4 Product Standard Restricted Substance List (RSL) - Effective July 1, 2022		
			Biological and E	nvironmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4 Product Standard Restricted Substance List (RSL) - Effective July 1, 2022		
			Children's Produ	icts	

SUBSTANCE NOTES: Alloying elements may contain recycled content for this product.

CARBONIC DICHLORIDE, POLYMER WITH 4,4'-(1-METHYLETHYLIDENE)BIS(PHENOL), 4-(1-METHYL-1-PHENYLETHYL)PHENYL ESTER

ID: **111211-39-3**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-12-27 11:29:51
%: 0.2527 - 0.3502 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

SILICON, ELEMENTAL ID: 7440-21-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE:	2023-12-27 11:29:50
%: 0.0009 - 0.3183	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROL	E: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wa	arnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			Ν	No listings found on Add	ditional Hazard Lists
SUBSTANCE NOTES: All	loying elements may contain recycled conte	nt for this prod	luct.		

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: P	haros Chemical and Materials Library	/	HAZARI	O SCREENING DATE: 2023-12-19 15:03:20
%: 0.0000 - 40.5700	GreenScreen: N/A	RC: Both	NANO: No	POLYMER ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
На	zards Screening not applicable for this s	pecial condition	n. See GHS or CL	P warnings below.
POLYMER TYPE: Crosslinked	d thermoset			
AVERAGE MOLECULAR WE	IGHT : ≥1,000 Da and ≤ 10,000 Da			
PERCENTAGE OF POLYME	R WITH MOLECULAR WEIGHT LESS 1	THAN 500 DA:	Unknown	
ADDITIONAL SUBSTANCES	CONSIDERED: Yes			
GHS HAZARD STATEMENTS	S: H317, H372, H402			
HAZARD SCREENING COMP Special Conditions policy for p	PLIANCE: Hazard screening data source oblymers.	ed from OSHA a	and/or EU complia	ance CLP or SDS, as allowed by HPDC

POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers without disclosed CAS

numbers.

ADDITIONAL NOTES: The supplier was unwilling to disclose the CASRN of this polymer. The HPDC Approved Preparer reviewed supporting documentation and entered this polymer in accordance with the HPDC Special Conditions Policy.

Percent range is greater than 20% due to alternate covers used across models covered by this HPD.

Product contains up to 25% recycled polymer content.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities ISSUE DATE: 2023-12-22 00:00:00

CERTIFIER OR LAB: None

EXPIRY DATE:

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This product has not been tested for VOC emissions or VOC content

LCA

Environmental Product Declaration (EPD) by UL - Industry Generic

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All facilities

ISSUE DATE: 2023-07-10 00:00:00 EXPIRY DATE: 2028-07-10 00:00:00 CERTIFIER OR LAB: Smart EPD

CERTIFICATE URL: https://www.exceldryer.com/wpcontent/uploads/2023/07/EPD-XLERATOReco.pdf

CERTIFICATION AND COMPLIANCE NOTES: In accordance with ISO 14025 and ISO 21930:2017 awarded by Smart EPD

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

STEEL HOLLOW ALLEN WRENCH

MANUFACTURER (OR GENERIC): All-Tech Specialty Fasteners LLC

HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Use of the Tamper Proof Steel Hollow Allen Wrench and Bolt are required during installation of the dryer product.

HEPA FILTER KIT

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD Available

ACCESSORY TYPE: Maintenance Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Used when changing out filter located within the hand dryer.

Section 5: General Notes

Excel Dryers worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

None of the product- or accessory-related packaging are included in the HPD.

MANUFACTURER INFORMATION

MANUFACTURER: Excel Dryer ADDRESS: 375 Chestnut Street

PO Box 365

East Longmeadow, MA 01028

COUNTRY: USA

WEBSITE: www.exceldryer.com
CONTACT NAME: Debbie Frangie
TITLE: Global Marketing Manager

PHONE: (413) 525-4531

EMAIL: dfrangie@exceldryer.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

