

# XLERATOReco® HAND DRYER

## LEED V4.1 CREDIT CONTRIBUTION



The XLERATOReco Hand Dryer helps facilities qualify for the following LEED v4.1 Credits:

### LEED BD + C: NEW CONSTRUCTION

1. **EA Prerequisite Minimum Energy Performance (required)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.
2. **EA Credit Optimize Energy Performance (up to 18 points)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.
3. **MR Credit – Environmental Product Declarations** XLERATOReco Hand Dryers may contribute to this credit through the following:
  - a.) **Option 1. Environmental Product Declaration (EPD) (1 point)**  
XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
4. **MR Credit – Sourcing of Raw Materials** XLERATOReco Hand Dryers may contribute to:

#### Responsible Sourcing of Raw Materials (1-2 points)

XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

5. **MR Credit – Material Ingredients** XLERATOReco Hand Dryers may contribute to this credit through the following:
  - Option 1. Material ingredient reporting (1 point)**  
XLERATOReco Hand Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.
6. **Innovation** – Reference the Innovation Catalog and Pilot Credit Library at [www.usgbc.org](http://www.usgbc.org) for a full listing of Innovation and Pilot Credits available to your project. The XLERATOReco hand dryer may contribute to improved hand hygiene as part of a Green Cleaning Policy and eliminates ongoing paper towel waste as part of an Ongoing Purchasing and Waste Policy.

### LEED BD+C: CORE AND SHELL

1. **EA Prerequisite Minimum Energy Performance (required)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.
2. **EA Credit Optimize Energy Performance (up to 18 points)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.
3. **MR Credit – Environmental Product Declarations** XLERATOReco Hand Dryers may contribute to this credit through the following:
  - a.) **Option 1. Environmental Product Declaration (EPD) (1 point)**  
XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
4. **MR Credit – Sourcing of Raw Materials** XLERATOReco Hand Dryers may contribute to:

#### Responsible Sourcing of Raw Materials (1-2 points)

XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

5. **MR Credit – Material Ingredients** XLERATOReco Hand Dryers may contribute to this credit through the following:
  - Option 1. Material ingredient reporting (1 point)**  
XLERATOReco Hand Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.
6. **Innovation** – Reference the Innovation Catalog and Pilot Credit Library at [www.usgbc.org](http://www.usgbc.org) for a full listing of Innovation and Pilot Credits available to your project. The XLERATOReco Hand Dryer may contribute to improved hand hygiene as part of a Green Cleaning Policy and eliminates ongoing paper towel waste as part of an Ongoing Purchasing and Waste Policy.

## LEED BD+C: SCHOOLS

- 1. EA Prerequisite Minimum Energy Performance (required)**

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.
- 2. EA Credit Optimize Energy Performance (up to 16 points)**

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.
- 3. MR Credit – Environmental Product Declarations** XLERATOReco Hand Dryers may contribute to this credit through the following:
  - a.) Option 1. Environmental Product Declaration (EPD) (1 point)**

XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
- 4. MR Credit – Sourcing of Raw Materials** XLERATOReco Hand Dryers may contribute to:

### Responsible Sourcing of Raw Materials (1-2 points)

XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

- 5. MR Credit – Material Ingredients**

XLERATOReco Hand Dryers may contribute to this credit through the following:
  - Option 1. Material ingredient reporting (1 point)**

XLERATOReco Hand Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.
- 6. Innovation** – Reference the Innovation Catalog and Pilot Credit Library at [www.usgbc.org](http://www.usgbc.org) for a full listing of Innovation and Pilot Credits available to your project. The XLERATOReco Hand Dryer may contribute to improved hand hygiene as part of a Green Cleaning Policy and eliminates ongoing paper towel waste as part of an Ongoing Purchasing and Waste Policy.

## LEED BD+C: RETAIL

- 1. EA Prerequisite Minimum Energy Performance (required)**

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.
- 2. EA Credit Optimize Energy Performance (up to 18 points)**

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.
- 3. MR Credit – Environmental Product Declarations** XLERATOReco Hand Dryers may contribute to this credit through the following:
  - a.) Option 1. Environmental Product Declaration (EPD) (1 point)**

XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
- 4. MR Credit – Sourcing of Raw Materials** XLERATOReco Hand Dryers may contribute to:

### Responsible Sourcing of Raw Materials (1-2 points)

XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

- 5. MR Credit – Material Ingredients**

XLERATOReco Hand Dryers may contribute to this credit through the following:
  - Option 1. Material ingredient reporting (1 point)**

XLERATOReco Hand Dryer by Excel Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.
- 6. Innovation** – Reference the Innovation Catalog and Pilot Credit Library at [www.usgbc.org](http://www.usgbc.org) for a full listing of Innovation and Pilot Credits available to your project. The XLERATOReco Hand Dryer may contribute to improved hand hygiene as part of a Green Cleaning Policy and eliminates ongoing paper towel waste as part of an Ongoing Purchasing and Waste Policy.

## LEED BD+C: HEALTHCARE

- 1. EA Prerequisite Minimum Energy Performance (required)**

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.
- 2. EA Credit Optimize Energy Performance (up to 20 points)**

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.
- 3. MR Credit – Environmental Product Declarations** XLERATOReco Hand Dryers may contribute to this credit through the following:
  - a.) Option 1. Environmental Product Declaration (EPD) (1 point)**

XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
- 4. MR Credit – Sourcing of Raw Materials** XLERATOReco Hand Dryers may contribute to:

### Responsible Sourcing of Raw Materials (1-2 points)

XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

- 5. MR Credit – Material Ingredients**

XLERATOReco Hand Dryers may contribute to this credit through the following:
  - Option 1. Material ingredient reporting (1 point)**

XLERATOReco Hand Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.
- 6. Innovation** – Reference the Innovation Catalog and Pilot Credit Library at [www.usgbc.org](http://www.usgbc.org) for a full listing of Innovation and Pilot Credits available to your project. The XLERATOReco Hand Dryer may contribute to improved hand hygiene as part of a Green Cleaning Policy and eliminates ongoing paper towel waste as part of an Ongoing Purchasing and Waste Policy.

## LEED BD+C: DATA CENTERS

- 1. EA Prerequisite Minimum Energy Performance (required)**

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.
- 2. EA Credit Optimize Energy Performance (up to 18 points)**

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.
- 3. MR Credit – Environmental Product Declarations** XLERATOReco Hand Dryers may contribute to this credit through the following:
  - a.) Option 1. Environmental Product Declaration (EPD) (1 point)**

XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
- 4. MR Credit – Sourcing of Raw Materials** XLERATOReco Hand Dryers may contribute to:

### Responsible Sourcing of Raw Materials (1-2 points)

XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

- 5. MR Credit – Material Ingredients**

XLERATOReco Hand Dryers may contribute to this credit through the following:
  - Option 1. Material ingredient reporting (1 point)**

XLERATOReco Hand Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.
- 6. Innovation** – Reference the Innovation Catalog and Pilot Credit Library at [www.usgbc.org](http://www.usgbc.org) for a full listing of Innovation and Pilot Credits available to your project. The XLERATOReco Hand Dryer may contribute to improved hand hygiene as part of a Green Cleaning Policy and eliminates ongoing paper towel waste as part of an Ongoing Purchasing and Waste Policy.

## LEED BD+C: HOSPITALITY

### 1. EA Prerequisite Minimum Energy Performance (required)

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.

### 2. EA Credit Optimize Energy Performance (up to 18 points)

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.

### 3. MR Credit – Environmental Product Declarations XLERATOReco Hand Dryers may contribute to this credit through the following:

#### a.) Option 1. Environmental Product Declaration (EPD) (1 point)

XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.

### 4. MR Credit – Sourcing of Raw Materials XLERATOReco Hand Dryers may contribute to:

#### Responsible Sourcing of Raw Materials (1-2 points)

XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

### 5. MR Credit – Material Ingredients

XLERATOReco Hand Dryers may contribute to this credit through the following:

#### Option 1. Material ingredient reporting (1 point)

XLERATOReco Hand Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.

### 6. Innovation – Reference the Innovation Catalog and Pilot Credit Library at [www.usgbc.org](http://www.usgbc.org) for a full listing of Innovation and Pilot Credits available to your project. The XLERATOReco Hand Dryer may contribute to improved hand hygiene as part of a Green Cleaning Policy and eliminates ongoing paper towel waste as part of an Ongoing Purchasing and Waste Policy.

## LEED BD+C: WAREHOUSES AND DISTRIBUTION CENTERS

### 1. EA Prerequisite Minimum Energy Performance (required)

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.

### 2. EA Credit Optimize Energy Performance (up to 18 points)

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.

### 3. MR Credit – Environmental Product Declarations XLERATOReco Hand Dryers may contribute to this credit through the following:

#### a.) Option 1. Environmental Product Declaration (EPD) (1 point)

XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment.

### 4. MR Credit – Sourcing of Raw Materials XLERATOReco Hand Dryers may contribute to:

#### Responsible Sourcing of Raw Materials (1-2 points)

XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

### 5. MR Credit – Material Ingredients

XLERATOReco Hand Dryers may contribute to this credit through the following:

#### Option 1. Material ingredient reporting (1 point)

XLERATOReco Hand Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.

### 6. Innovation – Reference the Innovation Catalog and Pilot Credit Library at [www.usgbc.org](http://www.usgbc.org) for a full listing of Innovation and Pilot Credits available to your project. The XLERATOReco Hand Dryer may contribute to improved hand hygiene as part of a Green Cleaning Policy and eliminates ongoing paper towel waste as part of an Ongoing Purchasing and Waste Policy.

## LEED RESIDENTIAL MULTIFAMILY HOMES CORE AND SHELL

### 1. EA Prerequisite Minimum Energy Performance (required)

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies

## LEED RESIDENTIAL SINGLE FAMILY HOMES

No Contribution (N/A)

## LEED RESIDENTIAL MULTIFAMILY HOMES

### 1. EA Prerequisite Minimum Energy Performance (required)

XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.

### 2. EA Credit Optimize Energy Performance (up to 18 points) XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.

### 3. MR Credit Environmentally Preferable Products (up to 4 points) - The XLERATOReco may contribute to:

#### a.) Option 2: BPDO – Environmental Product Declaration (EPD) Path

**1:** XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.

#### b.) Option 3: BPDO – Sourcing of Raw Materials Path 2. Responsible Sourcing of Raw Materials.

XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

#### c.) Option 4: BPDO – Material Ingredients Path 1: XLERATOReco Hand Dryer by Excel Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.

associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.

### 2. EA Credit Optimize Energy Performance (up to 18 points) XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.

### 3. MR Credit Environmentally Preferable Products (up to 4 points) - The XLERATOReco may contribute to:

#### a.) Option 2: BPDO – Environmental Product Declaration (EPD)

**Path 1:** XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.

#### b.) Option 3: BPDO – Sourcing of Raw Materials Path 2. Responsible Sourcing of Raw Materials.

XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

#### c.) Option 4: BPDO – Material Ingredients Path 1: XLERATOReco Hand Dryer by Excel Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.

## LEED ID+C: COMMERCIAL INTERIORS

**1. EA Prerequisite Minimum Energy Performance (required)**  
 XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.

**2. EA Credit Optimize Energy Performance (up to 24 points)**  
 XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.

**3. MR Credit – Environmental Product Declarations** XLERATOReco Hand Dryers may contribute to this credit through the following:

**a.) Option 1. Environmental Product Declaration (EPD) (1 point)**  
 XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.

**4. MR Credit – Sourcing of Raw Materials** XLERATOReco Hand Dryers may contribute to:

**Responsible Sourcing of Raw Materials (1-2 points)**  
 XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

**5. MR Credit – Material Ingredients**  
 XLERATOReco Hand Dryers may contribute to this credit through the following:

**Option 1. Material ingredient reporting (1 point)**  
 XLERATOReco Hand Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.

**6. Innovation** – Reference the Innovation Catalog and Pilot Credit Library at [www.usgbc.org](http://www.usgbc.org) for a full listing of Innovation and Pilot Credits available to your project. The XLERATOReco Hand Dryer may contribute to improved hand hygiene as part of a Green Cleaning Policy and eliminates ongoing paper towel waste as part of an Ongoing Purchasing and Waste Policy.

associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.

**2. EA Credit Optimize Energy Performance (up to 24 points)**  
 XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.

**3. MR Credit – Environmental Product Declarations** XLERATOReco Hand Dryers may contribute to this credit through the following:

**a.) Option 1. Environmental Product Declaration (EPD) (1 point)**  
 XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.

**4. MR Credit – Sourcing of Raw Materials** XLERATOReco Hand Dryers may contribute to:

**Responsible Sourcing of Raw Materials (1-2 points)**  
 XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

**5. MR Credit – Material Ingredients**  
 XLERATOReco Hand Dryers may contribute to this credit through the following:

**Option 1. Material ingredient reporting (1 point)**  
 XLERATOReco Hand Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.

**6. Innovation** – Reference the Innovation Catalog and Pilot Credit Library at [www.usgbc.org](http://www.usgbc.org) for a full listing of Innovation and Pilot Credits available to your project. The XLERATOReco Hand Dryer may contribute to improved hand hygiene as part of a Green Cleaning Policy and eliminates ongoing paper towel waste as part of an Ongoing Purchasing and Waste Policy.

**LEED ID+C: RETAIL**

**1. EA Prerequisite Minimum Energy Performance (required)**  
 XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies

## LEED ID+C: HOSPITALITY

1. **EA Prerequisite Minimum Energy Performance (required)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in proposed building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers. XLERATOReco Hand Dryers are 530 Watts. Project teams may input 1.66 Wh per 10 second cycle use and 3.7 VA non-use average standby mode power consumption for energy modelling purposes.
2. **EA Credit Optimize Energy Performance (up to 24 points)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to an improvement in the proposed building performance rating compared with the baseline.
3. **MR Credit – Environmental Product Declarations** XLERATOReco Hand Dryers may contribute to this credit through the following:
  - a.) **Option 1. Environmental Product Declaration (EPD) (1 point)**  
XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
4. **MR Credit – Sourcing of Raw Materials** XLERATOReco Hand Dryers may contribute to:

### Responsible Sourcing of Raw Materials (1-2 points)

XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

5. **MR Credit – Material Ingredients**  
XLERATOReco Hand Dryers may contribute to this credit through the following:
  - Option 1. **Material ingredient reporting (1 point)**  
XLERATOReco Hand Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard.
6. **Innovation –** Reference the Innovation Catalog and Pilot Credit Library at [www.usgbc.org](http://www.usgbc.org) for a full listing of Innovation and Pilot Credits available to your project. The XLERATOReco Hand Dryer may contribute to improved hand hygiene as part of a Green Cleaning Policy and eliminates ongoing paper towel waste as part of an Ongoing Purchasing and Waste Policy.

## LEED O+M: EXISTING BUILDINGS

1. **EA Prerequisite Energy Efficiency Best Management Practices (required)**  
hand dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers.
2. **EA Prerequisite Minimum Energy Performance (required, up to 33 points)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use.
3. **EA Credit Optimize Energy Performance (required, up to 8 points)**  
XLERATOReco Hand Dryers may contribute to this credit by eliminating the ongoing waste of paper towels.

Facility Type	*Estimated Hand Dries Per Day	**Estimated Pounds of Paper Towel Waste Per Day Eliminated by Using XLERATOReco
Small Office Building (5,500 sf)	100	1.25 lbs.
Restaurant	800	10 lbs.
Large Office Building (500,00 sf)	10,000	125 lbs.
Airport (125,000 passengers/day)	100,000	1250 lbs.

\* Estimate based on LEEDv4 Indoor Water Use Reduction Calculator default lavatory usage.

\*\* Estimate based on 2 paper towels per hand dry.

4. **MR Credit Purchasing (1 point)** XLERATOReco Hand Dryers may contribute to this credit through Option 2. Building Materials:
  - a.) **Health Product Declaration:** XLERATOReco Hand Dryer by Excel Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard
  - b.) **Environmental Product Declaration (EPD):** XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
  - c.) **Recycled Content** XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

5. **EQ Prerequisite Green Cleaning Policy (required)**  
XLERATOReco Hand Dryers may contribute to this credit by promoting and improving hand hygiene and promoting the conservation of energy used in the building.
6. **EQ Credit Green Cleaning – Custodial Effectiveness Assessment (1 point)** XLERATOReco Hand Dryers may contribute to this credit by reducing custodial tasks including replacement of paper towels and removal of paper towel waste.

## LEED O+M: SCHOOLS

- EA Prerequisite Energy Efficiency Best Management Practices (required)**  
hand dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers.
- EA Prerequisite Minimum Energy Performance (required, up to 33 points)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use.
- EA Credit Optimize Energy Performance (required, up to 8 points)**  
XLERATOReco Hand Dryers may contribute to this credit by eliminating the ongoing waste of paper towels.

Facility Type	*Estimated Hand Dries Per Day	**Estimated Pounds of Paper Towel Waste Per Day Eliminated by Using XLERATOReco
Small Office Building (5,500 sf)	100	1.25 lbs.
Restaurant	800	10 lbs.
Large Office Building (500,00 sf)	10,000	125 lbs.
Airport (125,000 passengers/day)	100,000	1250 lbs.

\* Estimate based on LEEDv4 Indoor Water Use Reduction Calculator default lavatory usage.  
\*\* Estimate based on 2 paper towels per hand dry and a trifold paper towel weight of 1/10th of an ounce.

- MR Credit Purchasing (1 point)**  
XLERATOReco Hand Dryers may contribute to this credit through Option 2. Building Materials
  - Health Product Declaration:** XLERATOReco Hand Dryer by Excel Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard
  - Environmental Product Declaration (EPD):** XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
  - Recycled Content** XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

- EQ Prerequisite Green Cleaning Policy (required)**  
XLERATOReco Hand Dryers may contribute to this credit by promoting and improving hand hygiene and promoting the conservation of energy used in the building.
- EQ Credit Green Cleaning – Custodial Effectiveness Assessment (1 point)** XLERATOReco Hand Dryers may contribute to this credit by reducing custodial tasks including replacement of paper towels and removal of paper towel waste.

## LEED O+M: RETAIL

- EA Prerequisite Energy Efficiency Best Management Practices (required)**  
hand dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers.
- EA Prerequisite Minimum Energy Performance (required, up to 33 points)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use.
- EA Credit Optimize Energy Performance (required, up to 8 points)**  
XLERATOReco Hand Dryers may contribute to this credit by eliminating the ongoing waste of paper towels.

Facility Type	*Estimated Hand Dries Per Day	**Estimated Pounds of Paper Towel Waste Per Day Eliminated by Using XLERATOReco
Small Office Building (5,500 sf)	100	1.25 lbs.
Restaurant	800	10 lbs.
Large Office Building (500,00 sf)	10,000	125 lbs.
Airport (125,000 passengers/day)	100,000	1250 lbs.

\* Estimate based on LEEDv4 Indoor Water Use Reduction Calculator default lavatory usage.  
\*\* Estimate based on 2 paper towels per hand dry and a trifold paper towel weight of 1/10th of an ounce.

- MR Credit Purchasing (1 point)**  
XLERATOReco Hand Dryers may contribute to this credit through Option 2. Building Materials
  - Health Product Declaration:** XLERATOReco Hand Dryer by Excel Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard
  - Environmental Product Declaration (EPD):** XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
  - Recycled Content** XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

- EQ Prerequisite Green Cleaning Policy (required)**  
XLERATOReco Hand Dryers may contribute to this credit by promoting and improving hand hygiene and promoting the conservation of energy used in the building.
- EQ Credit Green Cleaning – Custodial Effectiveness Assessment (1 point)** XLERATOReco Hand Dryers may contribute to this credit by reducing custodial tasks including replacement of paper towels and removal of paper towel waste.



## LEED O+M: DATA CENTERS

- 1. EA Prerequisite Energy Efficiency Best Management Practices (required)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers.
- 2. EA Prerequisite Energy Performance (required, up to 33 points)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use.
- 3. MR Prerequisite Waste Performance (required, up to 8 points)**  
XLERATOReco Hand Dryers may contribute to this credit by eliminating the ongoing waste of paper towels.

Facility Type	*Estimated Hand Dries Per Day	**Estimated Pounds of Paper Towel Waste Per Day Eliminated by Using XLERATOReco
Small Office Building (5,500 sf)	100	1.25 lbs.
Restaurant	800	10 lbs.
Large Office Building (500,00 sf)	10,000	125 lbs.
Airport (125,000 passengers/day)	100,000	1250 lbs.

\* Estimate based on LEEDv4 Indoor Water Use Reduction Calculator default lavatory usage.

\*\* Estimate based on 2 paper towels per hand dry and a trifold paper towel weight of 1/10th of an ounce.

- 4. MR Credit Purchasing (1 point)**  
XLERATOReco Hand Dryers may contribute to this credit through Option 2. Building Materials
  - a.) Health Product Declaration:** XLERATOReco Hand Dryer by Excel Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard
  - b.) Environmental Product Declaration (EPD):** XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
  - c.) Recycled Content** XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

- 5. EQ Prerequisite Green Cleaning Policy (required)**  
XLERATOReco Hand Dryers may contribute to this credit by promoting and improving hand hygiene and promoting the conservation of energy used in the building.
- 6. EQ Credit Green Cleaning – Custodial Effectiveness Assessment (1 point)** XLERATOReco Hand Dryers may contribute to this credit by reducing custodial tasks including replacement of paper towels and removal of paper towel waste.

## LEED O+M: HOSPITALITY

- 1. EA Prerequisite Energy Efficiency Best Management Practices (required)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers.
- 2. EA Prerequisite Energy Performance (required, up to 33 points)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use.
- 3. MR Prerequisite Waste Performance (required, up to 8 points)**  
XLERATOReco Hand Dryers may contribute to this credit by eliminating the ongoing waste of paper towels.

Facility Type	*Estimated Hand Dries Per Day	**Estimated Pounds of Paper Towel Waste Per Day Eliminated by Using XLERATOReco
Small Office Building (5,500 sf)	100	1.25 lbs.
Restaurant	800	10 lbs.
Large Office Building (500,00 sf)	10,000	125 lbs.
Airport (125,000 passengers/day)	100,000	1250 lbs.

\* Estimate based on LEEDv4 Indoor Water Use Reduction Calculator default lavatory usage.

\*\* Estimate based on 2 paper towels per hand dry and a trifold paper towel weight of 1/10th of an ounce.

- 4. MR Credit Purchasing (1 point)**  
XLERATOReco Hand Dryers may contribute to this credit through Option 2. Building Materials
  - a.) Health Product Declaration:** XLERATOReco Hand Dryer by Excel Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard
  - b.) Environmental Product Declaration (EPD):** XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
  - c.) Recycled Content** XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

- 5. EQ Prerequisite Green Cleaning Policy (required)**  
XLERATOReco Hand Dryers may contribute to this credit by promoting and improving hand hygiene and promoting the conservation of energy used in the building.
- 6. EQ Credit Green Cleaning – Custodial Effectiveness Assessment (1 point)** XLERATOReco Hand Dryers may contribute to this credit by reducing custodial tasks including replacement of paper towels and removal of paper towel waste.

## LEED O+M: WAREHOUSES AND DISTRIBUTION CENTERS

- EA Prerequisite Energy Efficiency Best Management Practices (required)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers.
- EA Prerequisite Energy Performance (required, up to 33 points)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use.
- MR Prerequisite Waste Performance (required, up to 8 points)**  
XLERATOReco Hand Dryers may contribute to this credit by eliminating the ongoing waste of paper towels.

Facility Type	*Estimated Hand Dries Per Day	**Estimated Pounds of Paper Towel Waste Per Day Eliminated by Using XLERATOReco
Small Office Building (5,500 sf)	100	1.25 lbs.
Restaurant	800	10 lbs.
Large Office Building (500,00 sf)	10,000	125 lbs.
Airport (125,000 passengers/day)	100,000	1250 lbs.

\* Estimate based on LEEDv4 Indoor Water Use Reduction Calculator default lavatory usage.  
\*\* Estimate based on 2 paper towels per hand dry and a trifold paper towel weight of 1/10th of an ounce.

- MR Credit Purchasing (1 point)**  
XLERATOReco Hand Dryers may contribute to this credit through Option 2. Building Materials
  - Health Product Declaration:** XLERATOReco Hand Dryer by Excel Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard
  - Environmental Product Declaration (EPD):** XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
  - Recycled Content** XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

- EQ Prerequisite Green Cleaning Policy (required)**  
XLERATOReco Hand Dryers may contribute to this credit by promoting and improving hand hygiene and promoting the conservation of energy used in the building.
- EQ Credit Green Cleaning – Custodial Effectiveness Assessment (1 point)** XLERATOReco Hand Dryers may contribute to this credit by reducing custodial tasks including replacement of paper towels and removal of paper towel waste.

## LEED O+M: MULTIFAMILY

- EA Prerequisite Energy Efficiency Best Management Practices (required)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers.
- EA Prerequisite Energy Performance (required, up to 33 points)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use.
- MR Prerequisite Waste Performance (required, up to 8 points)**  
XLERATOReco Hand Dryers may contribute to this credit by eliminating the ongoing waste of paper towels.

Facility Type	*Estimated Hand Dries Per Day	**Estimated Pounds of Paper Towel Waste Per Day Eliminated by Using XLERATOReco
Small Office Building (5,500 sf)	100	1.25 lbs.
Restaurant	800	10 lbs.
Large Office Building (500,00 sf)	10,000	125 lbs.
Airport (125,000 passengers/day)	100,000	1250 lbs.

\* Estimate based on LEEDv4 Indoor Water Use Reduction Calculator default lavatory usage.  
\*\* Estimate based on 2 paper towels per hand dry and a trifold paper towel weight of 1/10th of an ounce.

- MR Credit Purchasing (1 point)**  
XLERATOReco Hand Dryers may contribute to this credit through Option 2. Building Materials
  - Health Product Declaration:** XLERATOReco Hand Dryer by Excel Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard
  - Environmental Product Declaration (EPD):** XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
  - Recycled Content** XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

- EQ Prerequisite Green Cleaning Policy (required)**  
XLERATOReco Hand Dryers may contribute to this credit by promoting and improving hand hygiene and promoting the conservation of energy used in the building.
- EQ Credit Green Cleaning – Custodial Effectiveness Assessment (1 point)** XLERATOReco Hand Dryers may contribute to this credit by reducing custodial tasks including replacement of paper towels and removal of paper towel waste.

## LEED O+M: INTERIORS

1. **EA Prerequisite Energy Efficiency Best Management Practices (required)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use. The XLERATOReco represents an 80 percent energy use reduction over conventional hand dryers.
2. **EA Prerequisite Energy Performance (required, up to 33 points)**  
XLERATOReco Hand Dryers may contribute to this credit as energy efficiencies associated with the dryer contribute to a reduction in building energy use.
3. **MR Prerequisite Waste Performance (required, up to 8 points)**  
XLERATOReco Hand Dryers may contribute to this credit by eliminating the ongoing waste of paper towels.

Facility Type	*Estimated Hand Dries Per Day	**Estimated Pounds of Paper Towel Waste Per Day Eliminated by Using XLERATOReco
Small Office Building (5,500 sf)	100	1.25 lbs.
Restaurant	800	10 lbs.
Large Office Building (500,00 sf)	10,000	125 lbs.
Airport (125,000 passengers/day)	100,000	1250 lbs.

\* Estimate based on LEEDv4 Indoor Water Use Reduction Calculator default lavatory usage.  
\*\* Estimate based on 2 paper towels per hand dry and a trifold paper towel weight of 1/10th of an ounce.

4. **MR Credit Purchasing (1 point)**  
XLERATOReco Hand Dryers may contribute to this credit through Option 2. Building Materials
  - a.) **Health Product Declaration:** XLERATOReco Hand Dryer by Excel Dryer has a published, complete Health Product Declaration with full disclosure of known hazards in compliance with the Health Product Declaration Open Standard
  - b.) **Environmental Product Declaration (EPD):** XLERATOReco Hand Dryers may contribute to this credit as one of 20 installed products from 5 different manufacturers with a Product-Specific Type III Environmental Product Declaration (EPD) certified by UL Environment, a 1.5 product weighting for LEEDv4.1 projects.
  - c.) **Recycled Content** XLERATOReco contains recycled content. See chart below for recycled content based on model XL-SB-ECO.

Model	Pre-Consumer	Post-Consumer
XL-SB-ECO	37.65%	0%

While Excel Dryer products are proudly Made in the USA, raw material components of the XLERATOReco Hand Dryer are not extracted within 100 miles of its manufacture location, East Longmeadow, MA.

5. **EQ Prerequisite Green Cleaning Policy (required)**  
XLERATOReco Hand Dryers may contribute to this credit by promoting and improving hand hygiene and promoting the conservation of energy used in the building.
6. **EQ Credit Green Cleaning – Custodial Effectiveness Assessment (1 point)** XLERATOReco Hand Dryers may contribute to this credit by reducing custodial tasks including replacement of paper towels and removal of paper towel waste.



**TIME TO THROW IN THE TOWEL®**  
EXCEL DRYER INC • 1.800.255.9235 • EXCELDRYER.COM

DEC  
2022  
21ECT1007